

Characterization of Ce³⁺ and Yb³⁺ doped LiF-LuF₃-YF₃ solid solutions as new UV active media

Nizamutdinov A., Semashko V., Naumov A., Korableva S., Marisov M., Efimov V., Nurtalina L.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

Here laser studies of Ce³⁺:LiLuxMe_{1-x}F₄ (Me=Y³⁺,Yb³⁺) mixed crystals homologous to well-known Ce³⁺:LiYF₄ and Ce³⁺:LiLuF₄ UV crystalline active media are reported. Optical spectroscopy and X-ray diffraction studies have proved scheelite structure of the investigated mixture crystals. Advantages of LiLuYF₄:Ce³⁺+Yb³⁺ mixture crystals were detected. Among them an opportunity to wider tuning range of laser oscillation in comparison to LiLuF₄:Ce³⁺+Yb³⁺ active medium by means of varying YF₃/LuF₃ content relation. As it was shown from laser experiments mutual shift of 5d-4f emitting transition of Ce³⁺ ions and color centers absorption band due to lattice parameter change gives an optimum for YF₃/LuF₃ content relation corresponding to minimal overlap and maximal amplification band. EPR and optical spectroscopy revealed the optimum ratio of Y³⁺ ions and Lu³⁺ in solid solutions of LiF-LuF₃-YF₃, where the segregation coefficient Ce³⁺ of ions is increased 3-5 times compared with crystals LiYF₄ and LiLuF₄. © 2011 SPIE.

<http://dx.doi.org/10.1117/12.881885>

Keywords

5d-4f transitions of Ce³⁺ ions, Solid solutions, UV active media